

How to Print and Use the CoolSculpting® Applicator Templates

This file contains 4 CoolSculpting applicator templates (located on pages 2 through 4):

CoolSmooth PRO™ • CoolAdvantage™ • CoolAdvantage Plus™ • CoolAdvantage Petite™

Step 1: Print the applicator templates in this file and have them ready to use during your virtual consultation.

Printing Tips:

- Print each applicator template on an 8.5"x 11" white sheet of paper
- Print each template "actual size" and "one-sided" (some printers reduce the size to fit within a border and/or are set to print on both sides)
- Cut each printed template out along the outside edge

CoolSculpting applicator templates are for virtual assessments only.

Step 2: Your provider will tell you how and where to place each applicator template to help determine your CoolSculpting treatment plan.

- Please note that your treatment plan may change when your provider performs an in-office physical assessment

If you are unable to print the applicator templates, please have a 12" ruler or measuring tape ready to use during your virtual consultation.

If you have any questions or need additional help, please reach out to your provider before your virtual consultation.

Uses

The CoolSculpting® procedure treats visible fat bulges in the inner and outer thighs, abdomen and flank, along with bra fat, back fat, underneath the buttocks (also known as banana roll), upper arm in patients and in submental and submandibular areas in patients. The CoolSculpting® procedure is not a treatment for weight loss.

Important Safety Information

The CoolSculpting® procedure is not for everyone. CoolSculpting® is contraindicated in patients with cryoglobulinemia, cold agglutinin disease, paroxysmal cold hemoglobinuria, areas of impaired peripheral circulation or pregnancy and lactation.

Ask your patient about any medical conditions including recent surgery, pre-existing hernia, and any known sensitivities or allergies. During the procedure patients may experience sensations of pulling, tugging, mild pinching, intense cold, tingling, stinging, aching, and cramping at the treatment site. These sensations subside as the area becomes numb. Following the procedure, typical side effects include temporary redness, swelling, blanching, bruising, firmness, tingling, stinging, tenderness, cramping, aching, itching, or skin sensitivity, and sensation of fullness in the back of the throat after submental or submandibular area treatment. Rare side effects may also occur. Paradoxical hyperplasia (visibly enlarged tissue volume in the treated area) may develop 2-5 months after treatment and requires surgical intervention for correction. As with any medical procedure, a consultation should be done by a licensed healthcare professional to determine if the patient is a candidate for treatment. Consult the CoolSculpting® System User Manual for a complete list of Contraindications, Warnings, Precautions, and potential side effects. Treatment applications that deviate from the guidelines are not recommended.

CoolSculpting® Applicator Templates

CoolSculpting applicator
templates are for
virtual assessments only.



 **coolsculpting®**



CoolAdvantage™

For demonstration purposes only



 **coolsculpting®**



CoolAdvantage Petite™

For demonstration purposes only



CoolSculpting® Applicator Templates

CoolSculpting applicator templates are for virtual assessments only.



CoolSculpting® Applicator Templates

**CoolSculpting applicator
templates are for
virtual assessments only.**

